

MUNICIPAL SIGNS, INC.

# **TABLE OF CONTENTS**

# **TRAFFIC SIGNS**

3

13

14

19

24

27

29

31

**CUSTOM STREET** NAME

**POST/BRACKET/** HARDWARE

CONSTRUCTION **WORK ZONE** 

PAVEMENT MARKINGS

**OSHA/FACILITY** SIGNS

CUSTOM GRAPHICS

SIGN SHOP SUPPLIES

# **CUSTOM** STREET Names

Cherrybark Ln

NULLA- MUNIC

Design your own street name sign unit.

Chestnut Dr

STOP


Choose a sign blank, bracket, and finial to suit your taste. See pages 13-14


# **Notice Regarding Traffic Signs**

STOP An asterik beside a sign might indicate multiple print colors, shape change, or specialized wording on signs. These signs may require additional fees for manufacturing.

> Traffic Signs in this catalog are made from Engineer Grade Reflective on .080" thick aluminum unless otherwise noted.

# **Product Code Explained**





**RIGHT LANE** 

S2412R35BREA

S3018R35BREA

LEFT LANE

S2412R35BLEA

S3018R35BLEA


ONE WAY


S3612R61LEA

S3612R61REA


ONE WAY


# **REGULATORY CONTINUED**







# **PERMISSIVE PARKING CONTINUED**





# WARNING SIGNS CONTINUED








# **SCHOOL SIGNS**



# **ROUTE MARKER AUXILIARIES**

The following signs can be ordered as:



**Traffic Signs** 

### **STREET NAME SIGNS**





.080 Aluminum Flat Blade Blue S06xxFEAWHBL S09xxFEAWHBL Extruded Aluminum Blue S06xxEEAWHBL S09xxEEAWHBL **CUSTOM** DR Extruded Aluminum

Green S06xxEEAWHGR S09xxEEAWHGR .080 Aluminum Flat Blade Green S06xxFEAWHGR S09xxFEAWHGR

CUSTOM DR

### **6" STREET NAME SIGNS** -

STREET NAME SIGNS are 6" x various lengths up to 48" as needed. They are double faced with a white engineer grade reflective on either a green or blue engineer grade background. The primary copy is 4" tall series B letters and the prefix and suffix copy is 2"tall series B letters.

### 9" STREET NAME SIGNS • YEAR 2000 MUTCD COMPLIANT

STREET NAME SIGNS are 9" x various lengths up to 60" as needed. They are double faced with a white engineer grade reflective on either a green or blue engineer grade background. The primary copy is 6" tall series B letters and the prefix and suffix copy is 3"tall series B letters.

### **METRO STREET NAME SIGNS** -

8" Upper and lower case C Series letters on High Performance Reflectives such as High Intensity Prismatic and VIP Diamond Grade combine to make the most effective street name signs available.



# **BRITE-MAX POST REFLECTOR** -

Enhance safety by making signs more visible using the Brite-Max Post Reflector System! Each reflector is 30" long and they may be stacked for more effect. They can be used on U Channel, square, or wood post. Choose from 3M<sup>TM</sup> Engineer Grade, 3M<sup>TM</sup> High Intensity, 3M<sup>TM</sup> Diamond Grade<sup>TM</sup>, or 3M<sup>TM</sup> Fluorescent Diamond Grade<sup>TM</sup> reflective sheetings. Mounting hardware is found on pages 14-16.

# **Color Codes**

RED (RE)FLUORESCENT YELLOW GREEN (FYG)WHITE (WH)FLUORESCENT YELLOW (FYE)YELLOW (YE)FLUORESCENT YELLOW (FYE)

**3M Reflective Sheeting**Engineer GradeBAOHigh IntensityBAODiamond Grade™BAOFluorescentBAODiamond Grade™BAO

Eting BA080E(RE)0330BM BA080H(RE)0330BM BA080D(RE)0330BM BA080DF(YG)0330BM



# HIGH PERFORMANCE SIGNS

Enhance safety as intersections and other dangerous roadway stretches by upgrading to High Performance Reflectives from 3M. 3M<sup>TM</sup> High Intensity Prismatic Grade Sheeting (ASTM Type IV) is three times brighter than conventional, enclosed lens sheeting. 3M<sup>TM</sup> Diamond GradeTM VIP Sheeting (ASTM Type IX) is ten times brighter. Both types of sheeting are backed by 3M's exclusive replacement warranty.

If graffiti is a problem, 3M Protective Overlay Film may be added to any 3M Reflective Sheeting.

# "SAFER ROADS SAVE LIVES"



# Custom Street Name

### **CUSTOM STREET NAME SYSTEM**



# POST & POST TOP FINIALS



Post is 3" O.D., 12' long, and painted semi gloss black. It is predrilled to accept 2 brackets either standard or inverted.



OPA657MD



Spear top finial OPA9516MD

Post top finials are painted black to match post and brackets. They come with set screws to attach to the post.



OPR123BK

# SIGN BRACKETS



DOGWOOD BRACKET WITH LEMON DROP FINIAL FOR 30" SIGN OB1227JR3BKBKLD Brackets are painted to match post and finials. They come with set screws to attach to post and signs - Ask for square back plate if you intend to mount bracket to a flat surface. Flat post and wall mount available.



SCROLL BRACKET WITH LEMON DROP FINIAL FOR 30" SIGN OB1228JR3BKBKLD

# **TRAFFIC SIGNS/FRAMES** -

Traffic signs to match the custom street name system

ANGLE IRON FRAMES OPA1218FR OPA1824FR OPA2424DFR OPA24240FR OPA3030DFR OPA30300FR SIGNS WITH BLACK BACKS ONLY OPA1218BK OPA1824BK OPA2424BK OPA3030BK

Choose from the signs on page ? and add to the part numbers above.

O - OCTAGON SHAPE D- DIAMOND OR SQUARE SHAPE

# MISCELLANEOUS HARDWARE/POST -

8' Post for mounting traffic signs. OPR083BK

1/4"TORX head screw bit RTHB14

3 1/2" TORX bit extension RTHB3

Black set screw for post top finials RHSK56BLACK

1/4"X 1" Self tapping screw for mounting traffic signs (cannot be removed with a screwdriver) RH141HEX

1/4"X 1" TORX head screw (for attaching street signs and brackets-vandal proof) RTH140

**U - CHANNEL POST** 

### **U-CHANNEL POST ACCESSORIES**

U-Channel Posts are manufactured from high tensile steel. Available in your choice of hot dip galvanized or green baked enamel paint finish. Punched full length with 3/8" holes on 1" centers. Measured by length and pounds per foot.



STOCK#	SIZE		DESCRIPTION
RPOCG061	6FT	1.12LB	galvanized
RPOCG071	7FT	1.12LB	galvanized
RPOCG062	6FT	2LB	galvanized
RPOCG082	8FT	2LB	galvanized
RPOCG0925	9FT	2.5LB	galvanized
RPOCG102	10FT	2LB	galvanized
RPOCG122	12FT	2LB	galvanized
RPOCG123	12FT	3LB	galvanized
RPOCP061	6FT	1.12LB	green
RPOCP062	6FT	2LB	green
RPOCP082	8FT	2LB	green
RPOCP102	10FT	2LB	green
RPOCP122	12FT	2LB	green

### U-CHANNEL POST ACCESSORIES -

#### **SIGN SAVER**



SIGN SAVER BA080SAVER

PLACE BETWEEN SIGN AND POST AND SIGN WILL NOT BEND FROM OVER TIGHTENING.

#### **ANCHOR PLATE**



GALVANIZED ANCHOR PLATE **BA080APLATEUCH** 

**KEEPS POST FIRMLY IN PLACE** 

#### LAP SPLICE BREAKAWAY SYSTEM



ECONOMICAL BREAKAWAY SYSTEM BY MARION STEEL. FHWA & ASHTO APPROVED (MEETS THE REVISED JULY 1. 1990 FHWA GUIDELINES). POSTS TO 4 LBS. ANY SIZE SP-80 U-CHANNEL POST 2 SPECIAL BOLTS & SPACERS JOIN BASE POST TO TOP POST.

### **U-CHANNEL POST HARDWARE**

BOLTS





RHB203 ZINC CARRIAGE BOLT



# RHB303 ONE-WAY TAMPER

BOLT WASHERS







RHWASH ZINC WASHER

RHWASHNYLON NYLON WASHER



LOCK WASHER

# **ROUND POST** -

2 3/8" O.D. round galvanized steel post available in 10' and 12' lengths. The wall thickness is .065" thick (16 gauge).





RHNUT ZINC NUT

RHVPNUT BREAKAWAY VANDAL PROOF NUT

RHLAPSPLICE



NUTS





RHNUTFLUTED FLUTED TAMPER RESISTANT NUT

RT2 TOOL FOR FLUTED NUT

RHTN31 TUFNUT

### **RIVETS**



RIVET

STOCK # RHBALM8BP18 RHBALM8BP26 RHBALM8BP34

SIZE **DELINEATOR POST** 2# POST 3-4# POST

CHERRYMATE RHBALMGUN RIVET GUN

# **ROUND POST BRACKETS -**

For mounting sign to 2 3/8" O.D. round post. Priced per set, single or back to back brackets, and closure caps are available.



RPBZ238


RPBBB832

RPBCDC250

RPBRPCLCAP

# ANCHOR PLATE FOR ROUND POST ——

Solve your round post anchoring problem with these anchor plates designed to keep post from turning and reducing the need for concrete.



BA080APLATE238

### **SQUARE POST** -



RH141HEX SELF TAPPING METAL SCREW (2 REQUIRED)



RH141HEXSETTER DRILL BIT FOR SCREWS





SQUARE POST HARDWARE

- Easy, safe installation by hand or power
- Convenient sign mounting before installation
- Superior torsional strength
- Versatile, four sided sign mounting, at any height
- Fast, economical replacement of damaged sign posts
- Reusable materials
- FHWA-approved yielding capability
- Other sizes, gauges, and lengths available. Call for quotation.

PART #	SIZE
RP0SG0814175	8' 14 Gauge 1.75"
RP0SG1014175	10' 14 Gauge 1.75"
RP0SG1214175	12' 14 Gauge 1.75"
RP0SG03122*	3' 12 Gauge 2.00"
RP0SG08142	8' 14 Gauge 2.00"
RP0SG10142	10' 14 Gauge 2.00"
RP0SG12142	12' 14 Gauge 2.00"
RP0SG0312225*	3' 12 Gauge 2.25"

\* Base post for breakaway feature.



RHDRIVERIVETA Aluminum drive rivet for square post



RHCORNERBOLT Corner bolt to mount top post to base post. Use a nut from page 15



RPBSP175PCAP RPBSP2PCAP Pyramid Cap

### **ORNAMENTAL POST** -

Another post option is the ornamental post made to the same specifications as the custom street name system (page 13). 8' or 12' lengths available with choice of top finial. Frames are available to wrap around signs (see page 13-14 for details).





OPA657MD



OPA9516MD



OPR123BK 12' POST OPR083BK 8' POST



SELF TAPPING SCREW RTH140

16 TRAFFICSAFETYCATALOG

### **PEDESTAL BASES** —



CAST IRON

Pedestal bases are drilled for mounting 12x18, 18x24 and 24x24 signs.

RPOGP4 14" cast iron base with 4' pipe. weighs 27 lbs.

# ------ DRIVE CAPS/POST DRIVER



RH30100 STEEL U-CHANNEL 4.5 LBS



RHRP100 STEEL ROUND



RHDH8 ONE MAN POST DRIVER 65" LONG 38 LBS



RH17BIGBOYDRIVE **BIG BOY DRIVE CAP** 17 LBS

### **PULLERS** -



JACK BASE AND HEAVY DUTY HANDLE (PULLER NOT INCLUDED) RH7



HYDRAULIC POST PULLER JACK RHPL3



DETACHABLE PULLER USE WITH EITHER JACK RH4A

# FAINLESS STEEL STRAPPING



STRAPPING RH3420SS 3/4" X .020" X 200'

RH3425SS 3/4" X .025" X 100'

RH3432SS 3/4" X .032" X 100'



RHMODELC1 Strap Cutter



RHMODELC001 Spinner Type Strapping Tool



RHMODELP1 Ratchet Type Strapping Tool



RHBB7 Buckle Bracket For post 4"-12" in diameter, price is per set.



RHSLA SNAP LOCK ASSEMBLY Radiator like clamp for sign mounting. Needs only a screwdriver to tighten. 9/16" x 40" strap length.

### **STAINLESS STEEL BRACKETS**



RHMINUS4SS Minus 4 Sign Bracket For posts Less than 4" in diameter



RHPLUS4SS Plus 4 Sign bracket for post more than 4" in diameter



RHCSS Cantilever sign bracket





RH3465SS Buckle



RH06SS Wing Seal



RH516SS 5/16" x 18 x 3/4" Stainless steel bolt



# SUPER-LOK PREMIUM BRACKETS



RPB922F RPB922X Round Post Cap



RPB91UF-NU180 RPB91UX-NU180 180° U-Channel Cap



RPB990F RPB990X Crosspiece



RPB457F RPB457X 45° Universal



RPB91UF-OL90 RPB91UX-OL90 90° U-Channel Cap

JUMBO BRACKETS

RPB412UFOL90

90° U-Channel

Cap Flat & Square Post

RPB412RF

RPB412RX

Round Post Cap

SUPER-LOK Premium Brackets - 5 1/2" slot includes hardware for flat(F) or extruded(X) signs.

RPB412UFNU180

180° U-Channel

Cap Flat &

Square Post

RPB412CF

RPB412CX

CROSSPIECE

# **ROK-PRUF ECONO BRACKET**







**RPB390** 

**RPBROKPRUF1** 180° U-Channel Cap

**RPBROKPRUF2** Round Post Cap

Crosspiece

ROK-PRUF Econo Brackets - 3 3/8" slot for flat blades, includes hardware.

#### **MISC. BRACKETS**











RPB8 14.5" LONG FLAT OR EXTRUDED



BELL WING BRACKET **RPBBW12 - 12"** RPBBW18 - 18" RPBBW24 - 24" HARDWARE NOT INCLUDED



METRO STREET SIGN BRACKETS

CHAINLINK FENCE BRACKET SIGN SAVER BA080SAVER

CHEVRON ADJUSTABLE BRACKET RPBCAB1 (12"x18" - 18"x24") RPBCAB2 (18"x24" - 24"x30") RPBCAB3 (24"x30" - 30"x36")



# FLAT BLADES



**RPB800** 24" LONG FLAT OR EXTRUDED

RRACKET HARDWARE/TOOLS



RHSK56 **STANDARD** SET SCREW



RHSSK56 STAINLESS STEEL SET SCREW



RHPRP38

CENTER PIN

SET SCREW



RHBHP76 **BUTTON HEAD** VANDAL **RESISTANT BOLT** 





RPBT43 12 POINT TOOL FOR RHVPA12



OVERHEAD SPAN WIRE RPBGR80



OVERHEAD SPAN WIRE RPBCOMM77



OVERHEAD MAST ARM RPBCOM88




RHVPA12 **12 POINT VANDAL RESISTANT BOLT** 

RPBT100 ALLEN WRENCH

TOOL

RPBF100 ALLEN WRENCH TOOL


# **Construction Work Zone**



3M™ Fluorescent orange Diamond Grade<sup>™</sup> signs are available replace "E" with "D" in the item file.

Example: S4848W207ADAC

1500 ft(15), 1/2 mile(5M), or Ahead(AH). 48" signs can not ship UPS.



# **Construction Work Zone**

# ECONO MESH ROLL-UP SIGNS

Fluorescent non-reflective mesh signs are the least expensive roll-up sign available. Available in 36x36" (36) and 48x48" (48) sizes. Order ribs separately.

RIBS

RMSR36

RMSR48

#### LEGENDS AVAILABLE

RMS(36)W214AHN
RMS(36)W214UAHN
RMS(36)W207AN
RMS(36)W211AN
RMS(36)W211BN
RMS(36)W211CN
RMS(36)W414N
RMS(36)W2015N
RMS(36)W202AHN
RMS(36)W203AHN
RMS(36)W204AHN

Road Work Ahead Utility Work Ahead Flagger Symbol Workers Symbol Men Working Mowers Ahead Trucks Entering Highway Be Prepared To Stop Detour Ahead Road Closed Ahead One Lane Road Ahead

**Premium Reflective Roll-up signs** Fluorescent orange highly reflective materials are available. Please call for a quotation.

> 36" Ribs 48" Ribs



# **CONSTRUCTION WORK ZONE SIGN STANDS**

\*The GSS-3 and GT-2 stands have not been tested under the NCHRP350 guidelines and may not be used on Federal or State roads.



#### **RC202 Compact Stand**

• For Roll-up Signs

Spring

• 23 Lbs

Adjustable Galvanized Legs

Folded 8"x 8"x 25"

Extended 39"x 70"x 36"

- Sign is 18" Above Super Flex Fiberglass Leaf Grade
  - Adjustable Galvanized Legs

ROAD WORK

AHEAD

Interstate X-Stand

RX553 - For Roll-up &

**Rigid Signs** 

- Heavy Duty Coil Spring
- 3 Flag Holders
- 37 Lbs.



**Zephyr Stand** R26000USH

- 28"x17" 1/2" Recycled Rubber Base folds to 4" high & has stacking lugs for easy transport & storage; 30 lbs
- Molded in carrying handles Simple release raises the mast
- into upright position All models have universal sign holder for any style roll-up sign



GT2 Galvanized **Tripod Sign Stand** 

- For Roll-up and
- **Rigid Signs**
- 3 Flag Holders • 53" High
- 14 Lbs

GSS3 Galvanized Step Sign Stand

- For Roll-up Signs
- Pointed for ground

- Installation
- 57.5" High
- 7 Lbs

# **PUBLIC WORK BARRICADES**

- 24" wide x 45" high
- Engineer Grade Reflective
- · Choose From all metal construction or lightweight plastic
- Metal barricades have aluminum panels which can be straightened and re-used after being hit.



SP224EA TYPE II



SP124EA TYPE I



RSP224EP TYPE II



RSP124EP TYPE I

\*Sign holding clips molded into plastic barricades!

PLASTIC



# TRAFFICSAFETYCATALOG 21

# **Construction Work Zone**

# VERTICAL INDICATOR PANEL

- Space saving design over traditional barricades
- Large handle area insures an easy grip
- Includes a built in knob for simple wrap around caution tape application
- Hassle free warning light placement.
- Available with 100% recycled Diamond Series rubber bases
- Engineer Grade Reflective is standard. Call for quotes on other materials

# BARRICADE SHEETING


- 50 yd Rolls
- Engineer grade available in 6" and 8" widths
- High intensity available 8" wide
- Specify 4"(4) or 6"(6) stripe and right (R) or left (L) slant where appropriate
- Red / White barricade sheeting also available

# BARRICADE LIGHTS -

- 6Volt incandescent bulb
- 3 way Photocell (Flasher, Steady burn, and Off) is standard for the same price!
- Solid State Circuitry
- Each carton of 10 lights contains: 1- on/off key
  - 1- button head bolt wrench 10- 35/8" Button head bolts

# TYPE III BARRICADE

- NCHRP crash test certified
- 8" Wide plastic boards available in 4', 6', 8', 10', and 12' lengths. Specify length in inches(96).
- Engineer grade and high intensity available. Single faced and double faced available. Specify right (R) or Left (L) on single faced boards.
- Breakaway metal uprights system with shear pin design system includes:
  - 2-5'x 1 3/4" Galvanized square post, 12 gauge metal;
  - 2-5'x1 1/2" Galvanized square post uprights, 12 gauge metal;
  - 2-6"x1 3/4" Galvanized square stubs, 12 gauge metal;
  - 2-breakaway shear pin assembly kits.



BARRICADE LIGHT ACCESORIES RBLSPBOLT - Additional bolt RBLSPKEY - Additional key RBLSPWRENCH - Additonal wrench RBLSP1850BULB - Replacement Bulb Type B Lights Available, call for details


#### Component Pricing Boards Unsheeted Board ENG S/F Board ENG D/F Board HIR S/F Board HIR D/F Breakaway upright

#### Part#

RSP3(XX)NM SP3(XX)EMS(L)OW6 SP3(XX)EMDOW6 SP3(XX)HMS(L)OW6 SPW(XX)HMDOW6 RSP3BUS











# **Construction Work Zone**

# RINGTOP 4" TUBE DELINEATOR

- Height 45", width 4"
- Large opening for easy handling
- Caution tape knob for wrap around application
- Support rings around reflective bands for added tape protection
- Made from high impact polyethylene utilizing polymer protection UV stabilizer
- 8 LB. base is standard, other sizes on request
- Base included in price

# **INSTANT A-FRAME & PLASTIC BARRICADE BOARD**



RSP200

RSP20572ED

RSP20596ED

"A" FRAME-one leg(requires two) 2"X8"X6' board-

reflective two sides 2"X8"X8' boardreflective two sides

# **CHANNELIZER BARREL** -

• High Density plastic

ITEM #

RSPRT408

- 4-6" tall high intensity reflective strips
- 10 lbs.
- Recycled tire base available

Channelizer Barrel RSP100HI RSPTIREBASE

### CONES

- Bright fluorescent orange
- PVC Flexible
- 18" 3#, 28" 7#
- Reflective available: 4" & 6" collars on 28" cones
- Tapered design enables stacking
- Stenciling available call for quotation

# HAND PADDLES -

- Engineer grade reflective and painted non-reflective on .040" aluminum
- 7"or 60" Metal handles available

# SAFETY VEST -

- 7 oz. Coated day glow nylon mesh
- Side ties with velcro closure
- Reflective vests come with 1 1/2 " 3M<sup>TM</sup> scotch lite 3M<sup>TM</sup> Reflective Material





Stop/Slow 18" Hand PaddlesSHP1818SL040BNHNonSHP1818SL040ENHReflHPHANDLE077" HHPHANDLE6060"


- Non-reflective Reflective 7" Handle 60" Handle
- 18" x 18" Fluorescent red/orange vinyl coated nylon flag

**SAFETY FLAGS –** 

 3/4" Wood dowel is 24" long



FLAGS RSP-FLAG





ones RCSP28 RCSP18 RCSP28R



# **Construction Work Zone**

# **CAUTION TAPE -**

- 3" x 1000' Poly barrier tape provides warning of temporary safety hazard
- Economical, strong, and disposable
- 3 MIL
- Legends: (A) Caution Caution
- CAUTIO CAUT
- (B) Police Line Do Not Cross (F) Caution Do Not Enter
- Other sizes and legends available

# **MARKING FLAGS**

- 4" x 5" 21" Wire Staff
- Glo Colors: Orange(OR), Green(GR), Pink(PK), Yellow(YL)
- Other colors, sizes available
- Printed flags available, call for quote



# APWA DETECTABLE UNDERGROUND WARNING TAPE

- 3" x 1000'
- 5 mil
- 1/2 mil Aluminium Core
- APWA Uniform Color Code
- Other sizes available

# VEHICLE SAFETY



Electric Fiber Optic Gas Sewer **Reclaimed Water** Water

### **VEHICLE CONSPICUITY TAPE**



Meets all requirements for marking vehicles. Red and White pattern repeats.

2"x 50 YDS RSH980320250

### DANGER FLAGS FOR PROTRUDING OBJECTS

- Utility Red
- Easy Tear Perforation every 12"
- 12" x 300' 4 mil

### **SLOW MOVING VEHICLE EMBLEM**



STOCK # **RSMV10** Aluminum RSMV20 Decal

# RSP950(XX)

**ITEM #** RSP710(X)

# SURVEYOR'S TAPE





- Glo Colors: Orange(OR), Green(GR), Pink(PK), Yellow(YL)
- Other colors are available
- 4.5 mil
- 1 3/16" x 150'

# **Pavement** Markings

# RAISED PAVEMENT MARKERS

MODEL 88

• 4" x 4"

- The industry standard for over 25 years
- 1-way, 2-way, 2-way multi-color available
- Red (R), White (W), Yellow (Y), Blue (B)



- 4" x 2"
- · Pressure sensitive adhesive attached to marker
- Asphalt and concrete surfaces
- Red (R), White (W), Yellow (Y), Blue (B)
- Standard package is 100/box

# **4" TRAFFIC BUTTONS -**

- Raised hexagon pattern increases strength and adhesive surface area
- Buttons made from polypropylene
- Available in White, Yellow, and Black
- Standard package is 80/box
- ABS plastic and ceramic available

### **CHIP SEAL TEMPORARY MARKERS**

- Polyurethane body allows marker to straighten itself after impact
- Reflective is protected by clear plastic cover
- Marker comes with adhesive attached
- White(W) or Yellow(Y), 1-way or 2-way



STOCK # R88(W) 1-WAY (White) R88(WW) (YY) 2-WAY (White, Yellow) R88(RW) 2-WAY (Red, white) R88(BB) 2-WAY (Blue)



STOCK # RPMPSA290(W) 1-WAY RPMPSA290(WR) (YY)2-WAY WHITE/ RED, YELLOW RPMPSA290(BB) 2-WAY BLUE



STOCK # **RPMTD10500W RPMTD10500Y** RPMTD10500B

WHITE YELLOW BLACK

> STOCK # RPMC(W)

RPMC(W)2

1-WAY

2-WAY

6" and 8" buttons available **Reflective buttons** available

MARKER ADHESIVE

#### **EPOXY**

STOCK #
REPOXYABTUBE
REPOXY(A)
REPOXY(A)5GAL

**# MARKERS** DESCRIPTION A & B TUBES 12 1 GAL A OR B 200 5 GAL A OR B 1000

### HOT SPOT THERMO PLASTIC 125 MIL

STOCK #	SIZE	BOX
RPMHOTSPOT5	5" X 5"	200
RPMHOTSPOT85	8.5" X 8.5"	100

ONLY AVAILABLE IN BOX QUANTITIES

BITUMEN STOCK # RPMBITUMEN SIZE 55# CUBE

\*A and B must be mixed together

# Pavement Markings



# **STRIPING PAINT**

- Ennis Paint (EP Series)
- Waterborne
- <10 minutes no track time
- <20 minutes dry hard time
- Roads and parking lots
- 5-gallon pails
- Alkyd and chlorinated rubber available

PRICE PER 5 GALLON PAILS. STANDARD PALLET IS 24 PAILS.

WHITE YELLOW

BLACK

RED

BLUE

### **GLASS BEADS**

- Drop on glass beads
- 50# bags

STOCK # RBEAD

### STRIPING MACHINES ARE AVAILABLE. PLEASE CALL FOR DETAILS

### **INVERTED TIP MARKING PAINT**

- 20 oz. Krylon
- 12 cans per case • Water-based and
- solvent-based





STOCK # **RPMITIPHWAND 12" HANDHELD WAND** RPMITIPMWAND 34" MARKING WAND

# **PAVEMENT MARKING STENCILS**

- Conforms to MUTCD specifications
- 1/8" thick heavyweight Poly Vinyl
- Stencils roll-up for quick UPS shipping
- Custom stencils available call for quotation.

SYMBOLS	3	
STOCK#	LEGEND	SIZE
RPM111A	HANDICAP SYM	44 X 38
RPM111	HANDICAP SYM	32 X 24
RPM112	HANDICAP SYM	18 X 12
RPM116A	"R" FOR RAILROAD	6'
RPM117A	"X" FOR RAILROAD	
RPM124	FIRE HYDRANT & ARROW	18 X 33
RPM125A	PED XING SYM	36 X 60
RPM125B	BIKE LANE SYM	24 X 48
RPM126	BIKE LANE SYM	52 X 60
RPM126A	BIKE TRAIL SYM	65 X 40
RPM126C	BICYCLE DIAMOND	36 X 72
RPM120	STOP BAR	8' X 16'
RPM120A	STOP BAR	8' X 24'

EASY TO TRANSPORT .


LIGHTWEIGHT WILL NOT WARP OUT OF SHAPE

ARROW	5	
STOCK#	LEGEND	SIZE
RPM118	CURVED	8'
RPM118A*	CURVED/STRAIGHT	12.75
RPM119	STRAIGHT	9.5'
RPM114	CURVED	6'
RPM115	CURVED/STRAIGHT	6'
RPM113	STRAIGHT	6'

\* Sets RPM118 and RPM119 are required to make full set of item RPM118A



• FAST EASY CLEAN UP • PAINT BREAKS & FALLS AWAY BY FLEXING & TAPPING A HARD SURFACE



UNLIKE WOOD, ALUMINUM, & OTHER STENCILS THEY WON'T BREAK, WARP, BEND, CREASE OR LOAD UP WITH PAINT.

COMMONL	Y USED LE	GENDS
RESERVED	LANE	ENTER
STOP	ZONE	EXIT
ONLY	LOADING	ONE
NO PARKING	COMPACT	WAY
FIRE LANE	TAXI	DRIVE
HANDICAP	VISITOR	THRU

S	STOCK#	SIZE
RALS	RPM104L	4"
	RPM106L	6"
5	RPM110L	10"
N	RPM112L	12"
ERS/NUME	RPM124L	24"
Ē	RPM148L	48"
LETT	RPM196L	96"

SWIMMING POOL SET RPM215 INCLUDES - 7 LEGENDS,	
4-9" SYMBOLS & 4" NUMBER SET	

7 LEGENDS	SHALLOW	WATER	DANGER	NO DIVING
9" SYMBOLS	NO DIVING	NO RUNNING	NO SMOKING	HANDICAP ACCESSIBLE

SAVE TIME MONEY

**TRAFFICSAFETYCATALOG** 25

RPMITIPWB(RE) WATER BASED RPMITIPSB(RE) SOLVENT BASED

### COLORS **STANDARD**

RED (RE) BLUE(BL) YELLOW (YE) GREEN (GR) ORANGE (OR) WHITE (WH) BLACK (BK)

FL RED (FRE) FL GREEN (FGR) FL PINK (FPI) FL RED/ORANGE

(FROR) FL BLUE (FBL) FL ORANGE (FOR)

FLUORESCENT

# **Pavement** Markings

# **ROADRUMBLER RUMBLE STRIP**

- Physical and audible warning for motorist
- 4" x 24" x 1/2" 1.25#
- Unique grip system for improved adhesion
- Made from a specially formulated glass filled polymer
- Adhere with marker adhesive



RPMRSTRIP

CARALA A

### **RECYCLED RUBBER SPEED BUMPS & PARKING CURBS**

- From 100% recycled rubber tires
- Embedded reflective glass beads
- Removable, flexible, durable
- Installs with 14" rebar spikes (1/2" masonry bit required)

5	SIZE	<b>SPIKES</b>	<b>WEIGHT</b>
	4' x 2.25" x 11"	3	35#
	6' x 2.25" x 11"	5	52#
	6' x 6" x 4.25"	4	36#
	6' x 6" x 4.25"	4	36#
6	6' x 6" x 4.25" 14"	4	36# 1.22#



## PAVEMENT TAPE

- Construction grade pavement tape
- Withstands weather and road conditions

DESCRIPTION

SPEED BUMP

SPEED BUMP

YELLOW PKG CURB HANDICAP BLUE PKG CURB

**REBAR SPIKE POINTED** 

- 4" x 50 YDS
- Reflective

STOCK #

RPMRRSB48

RPMRRSB72

RPMRRPC6YL

RPMRRPC6BL

RPMRRRSPIKE



STOCK # RSHFOL200Y0450 RSHFOL200W0450

YELLOW WHITE

# **CHANNELFLEX SURFACE MOUNT REBOUNDABLE DELINEATORS**

- Polymer based; will not crack or split
- 3 times the elasticity of conventional rubber bases
- 3" x 36" white with yellow bands in stock
- · Base adheres with marker adhesives
- · Can absorb repeated high speed impacts
- Round and flat tubes available
- Due to the numerous color, length, and reflective combinations, please call for quotation.





STOCK # RPMCF336WH3Y



One of 5 Series of Headers

**HOW TO MAKE A PART NUMBER** 

One of 79 Series

of Legends

A - .040 Aluminum

S- Vinyl Stick On

**CUSTOM** 

**LEGENDS** 

**AVAILABLE! CALL FOR** 

QUOTATION

# **OSHA SIGNS** –

OSHA Signs are made from .040" Aluminum non-reflective or stick on decal material.

### **5 STANDARD HEADERS TO CHOOSE FROM**



- A .040 Aluminum
- S Vinyl Stick On

0010 ACETYLENE

0030 AMMONIA


0060 BE CAREFUL

0070 BURIED CABLE

0020 ACID

# 1,2,3,4 or5 ISS 1014 A 1 010 Industrial Safety Code 5000A, 5000S **Dimensions 79 STANDARD LEGENDS TO CHOOSE FROM** MATCH A HEADER WITH A LEGEND BELOW 0410 HIGH VOLTAGE 0420 HOT 0430 KEEP AISLES CLEAR 0440 KEEP GATE CLOSED 0450 KEEP THIS AREA CLEAN

- 0460 KEEP THIS DOOR CLOSED
- 0470 KEEP THIS PLACE CLEAN AND ORDERLY
- 0480 LOW HEADROOM
- 0490 NO ADMITTANCE
- 0500 NON-POTABLE WATER NOT FOR DRINKING OR COOKING USE
- 0510 NO SMOKING
- 0520 NO SMOKING BEYOND THIS POINT
- 0530 NO SMOKING MATCHES OR OPEN FLAME
- 0540 NO SMOKING OXYGEN IN USE
- 0550 NO TRESPASSING
- 0560 OPEN HOLE
- 0570 OPEN PIT
- 0580 OUT OF ORDER
- 0590 POISON
- 0600 POISON GAS
- 0610 REPORT ALL ACCIDENTS NO MATTER HOW SMALL TO YOUR FOREMAN
- 0620 REPORT ALL UNSAFE CONDITIONS TO YOUR FOREMAN
- 0630 RESPIRATORS REQUIRED IN THIS AREA
- 0640 RESTRICTED AREA
- 0650 SLIPPERY WHEN WET
- 0660 STEP DOWN
- 0670 STEP UP
- 0680 SULFURIC ACID
- 0690 THE SAFE WAY IS THE BEST WAY
- 0700 THERE IS NO SUBSTITUTE FOR SAFETY
- 0710 THIS MACHINE STARTS AUTOMATICALLY
- 0720 USE HANDRAIL
- 0730 WALK, DON'T RUN
- 0740 WATCH OUT FOR FORKLIFT TRUCKS
- 0750 WATCH YOUR STEP
- 0760 WEAR GOGGLES, RUBBER GLOVES, AND APRON WHILE HANDLING ACIDS OR CAUSTICS
- 0770 WEAR GOGGLES WHILE USING THIS MACHINE
- 0780 WET FLOOR
- 0790 WHEELS MUST BE CHOCKED WHEN LOADING OR UNLOADING



- 0300 FLAMMABLE
- 0310 FLAMMABLE GAS 0320 FLAMMABLE LIQUIDS
- 0330 FLAMMABLE MATERIAL NO SMOKING
- 0340 FLOOR SLIPPERY WHEN WET
- 0350 FOOT PROTECTION REQUIRED BEYOND THIS POINT

0040 ASBESTOS - CANCER AND LUNG DISEASE HAZARD -

PROTECTIVE CLOTHING


0050 AUTHORIZED PERSONNEL ONLY

AUTHORIZED PERSONNEL ONLY - RESPIRATORS AND

- 0360 GASOLINE
- 0370 HARD HAT AREA
- 0380 HARD HAT PROTECTION REQUIRED BEYOND THIS POINT
- 0390 HAZARDOUS MATERIAL STORAGE AREA
- 0400 HIGH PRESSURE GAS LINE

# FACILITY SIGNS -

Made from .040" aluminum with a painted finish, corner holes for wall mount.



# Custom Graphics

# **CUSTOM DECALS** -

Our Vinyl Decals are made with a 3.5mil permanent pressure sensitive acrylic adhesive and backed with a two side poly coated lay flat release liner. Expected exterior life is two years or more. White, Yellow , and Clear are available.

Our Reflective Decals are made with white or yellow engineer grade reflective sheeting with a permanent pressure sensitive adhesive. Expected exterior life is 5 years or more. 3M™ Engineer Grade Series 3200.


Double Faced or inside applied decals are available, but require white as an extra color.



### **CORRUGATED PLASTIC SIGNS**

#### **CORRUGATED PLASTIC YARD SIGNS**

Corrugated plastic signs are a lightweight 4mm plastic. They are inexpensive and easy to mount. No frames, bolts or nuts needed. We offer a econo wire stand for display. They are available as single faced or double faced.



**CORRUGATED PLASTIC MINI-BILLBOARDS** 

Corrugated plastic signs are a lightweight 4mm plastic.



### MAGNETIC DECALS

10" x 30"

Our magnetic signs are .032" thick and are weather resistant. They are standard in rectangle form, but they can be die cut for an additional charge.





6" x 30"

SIZE 24 x 16 24 x 12 18 x 12 18 x 8, 12" Circle 8 x 11 1/2 11 1/2 x 16

# **Custom Graphics**

# **MUNICIPAL DECALS** -

Non reflective or reflective vinyl





**Squared Oval** 11 1/2" x 8", 16 x 11 1/2

**Circles** 10", 14", 18"

	NON-REFLECTIVE	REFLECTIVE
SIZE	PART #	PART #
11 1/2 x 8	DWH11508	DWHE11508
16 x 11 1/2	DWH16115	DWHE16115
10" circle	DWH10C	DWHE10C
14" circle	DWH14C	DWHE14C
18" circle	DWH18C	DWHE18C

# **UTILITY SIGNS**

# **CUSTOM RIGID SIGNS** -

Custom signs are available in too many substrate and finish combinations to list.

#### COMMONLY USED SUBSTRATES AND FINISHES





Our Custom Division produces a full line of signage and marking products for the Utility Industry. These products come in a wide array of material types, some of which are listed below. Please send us a copy of your specs for a quotation!

# COMMONLY USED MATERIALS IN THE UTILITY MARKING INDUSTRYAluminum (.040", .063", .080", .100", .125")Vinyl Decal MaterialFiberglass (.090", .125")Reflective Decal MaterialSteel ( 18 gauge)Painted FinishHigh Density Polyethylene (.110")Reflective Finish

# Sign Shop Supplies

# **REFLECTIVE ROLL GOODS**

3M <sup>™</sup> Engineer Grade Reflective ASTM TYPE I 3M <sup>™</sup> High Intensity Prismatic ASTM TYPE IV 3M <sup>™</sup> Diamond Grade VIP Sheeting ASTM TYPE IX 3M ™ Diamond Grade Cubed DG3 ASTM TYPE XI 3M <sup>™</sup> Electro Cut<sup>™</sup> Film 3M <sup>™</sup> Protective Overlay Film

VINYL APPLICATION ACCESSORIES

### **VINYL ROLL GOODS**

Intermediate Vinyl **Premium Vinyl** Metallic/metallized Vinyl **Specialty Vinyls** 



# SIGN BLANKS

**Application Tape Application Tools** 

Application Fluid/Remover

.080" Aluminum sign blanks to meet Federal MUTCD specifications Pre-Laminated Aluminum sign blanks and street name sign blanks Extruded aluminum blanks

### **OTHER**

**Sign Faces** Die Cut Letters, Numbers, Radius Corners, and Arrows **Border Tape** Pre-printed border blanks and partially finished signs

### SIGN SUBSTRATES

**Banner Material Corrugated Plastic** Magnetic **MDO Plywood** Polyethlene







NO

PARKING













# TRAVISCT. LAURENBLVD.

# 713.847.8000 713.847.8100 fax 800.833.5584 toll free municipalsigns@sbcglobal.net

5567 Mauldin St. • Houston, TX 77087-3341